	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1		(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 voltage\$1	USPAT; US-PGP UB	2004/09/12 11:33
2	BRS	L2	97304	(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 supply	USPAT; US-PGP UB	2004/09/12 11:33
3	BRS	L3	159248	(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 power	USPAT; US-PGP UB	2004/09/12 11:33
4	BRS	L4	44787	(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 energy	USPAT; US-PGP UB	2004/09/12 11:33
5	BRS	L5	2342	(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 (Vdd\$1 or "V.sub.dd")	USPAT; US-PGP UB	2004/09/12 11:34
6	BRS	L6	:	(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 (Vcc\$1 or "V.sub.cc")	USPAT; US-PGP UB	2004/09/12 11:34
7	BRS	L7	: 6 / 9 6	(disconnect\$3 or decoupl\$3 or stop\$4 or disabl\$5 or halt\$3 or prevent\$3 or remov\$3 or off) near3 PS\$1	USPAT; US-PGP UB	2004/09/12 11:35
8	BRS	L8		cutoff near3 (voltage\$ or power or supply or energy or Vdd\$1 or "V.sub.dd" or Vcc\$1 or "V.sub.cc" or PS\$1)	OD	
9	BRS	L9	9128	PS\$1) (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8) same ((sav\$3 or hold\$3 or stor\$3) near3 data)	USPAT; US-PGP UB	2004/09/12 12:06
10	BRS	L10	2886	data) (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8) same ((sav\$3 or hold\$3 or stor\$3) near3 value\$1)	USPAT; US-PGP UB	2004/09/12 12:06
11	BRS	L11	2895	<pre>value\$1) (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8) same ((sav\$3 or hold\$3 or stor\$3) near3 state\$1)</pre>	USPAT; US-PGP UB	2004/09/12 12:08

.

:

	Туре	L #	Hits	Search Text	DBs	Time Stamp
12	BRS	L12	865	(9 or 10 or 11) same interface	USPAT; US-PGP UB	2004/09/12 11:41
13	BRS	L13	•	(pass or transfer or signal) adj (gate\$1 or transistor\$1 or switch\$3)	USPAT; US-PGP UB	2004/09/12 11:41
14	BRS	L14				2004/09/12 11:41
15	BRS	L15	259	(9 or 10 or 11) same (13 or 14)	USPAT; US-PGP UB	2004/09/12 11:42
16	BRS	L16	28	15 and 327/\$.ccls.	USPAT; US-PGP UB	2004/09/12 11:43
17	BRS	L17	89	15 and 365/\$.ccls.	USPAT; US-PGP UB	2004/09/12 11:43
18	BRS	L18	4	15 and 307/\$.ccls.	USPAT; US-PGP UB	2004/09/12 11:44
19	BRS	L19	113	16 or 17 or 18	USPAT; US-PGP UB	2004/09/12 11:58
20	BRS	L20	146	15 not 19	USPAT; US-PGP UB	2004/09/12 11:58
21	BRS	L21	64	20 and register\$1	USPAT; US-PGP UB	2004/09/12 12:01
22	BRS	L22	82	20 not 21	USPAT; US-PGP UB	2004/09/12 12:03
23	BRS	L23	1085	327/519,544,545,594.ccls.	USPAT; US-PGP UB	2004/09/12 12:04

	Туре	L#	Hits	Search Text	DBs	Time Stamp
24	BRS	L24	2860	365/226,227,228,229.ccls.	USPAT; US-PGP UB	2004/09/12 12:04
25	BRS	L25	1074	307/29,38,80.ccls.	USPAT; US-PGP UB	2004/09/12 12:05
26	BRS	L26	2816	(23 or 24 or 25) and (1 or 2 or 3 or 4 or 5 or 6 or 7 or 8)	USPAT; US-PGP UB	2004/09/12 12:05
27	BRS	L27			U.D	2004/09/12 12:06
28	BRS	L28		27 and ((sav\$3 or hold\$3 or stor\$3) near3 data)	OD	
29	BRS	L29		27 and ((sav\$3 or hold\$3 or stor\$3) near3 value\$1)	OD	
30	BRS	L30	293	27 and ((sav\$3 or hold\$3 or stor\$3) near3 state\$1)	USPAT; US-PGP UB	2004/09/12 12:09
31	BRS	L31	112640	(interface or 14) with (sav\$3 or hold\$3 or stor\$3)	USPAT; US-PGP UB	2004/09/12 12:09
32	BRS	L32	12989	multi-vibrator\$1)		2004/09/12 12:10
33	BRS	L33	283	(28 or 29 or 30) and (31 or 32)	USPAT; US-PGP UB	2004/09/12 12:10
34	BRS	L34	272	33 not 19	USPAT; US-PGP UB	2004/09/12 12:12
35	BRS	L35	45	34 and 327/\$.ccls.	USPAT; US-PGP UB	2004/09/12 12:21

•

:

.

	Туре	L #	Hits	Search Text	DBs	Time Stamp
36	BRS	L36	31	34 and 307/\$.ccls. not 35	USPAT; US-PGP UB	2004/09/12 12:24
37	BRS	L37	196	34 not (35 or 36)	USPAT; US-PGP UB	2004/09/12 12:27
38	BRS	L38	103	37 and register\$3	USPAT; US-PGP UB	2004/09/12 12:33
39	BRS	L39	93	37 not 38	USPAT; US-PGP UB	2004/09/12 12:34

•

.